

FOREST FIREFIGHTING EQUIPMENT

GENFO BACK-PACK



GENFO back-pack is renowned for its light weight and high-quality nozzle





SPECIALTY EQUIPMENT

HEAVY-DUTY PROFESSIONAL AND INDUSTRIAL FIRE FIGHTING EQUIPMENT

GENFO® BACK PACK

FOREST NOZZLES & EQUIPMENT

SPECIALTY EQUIPMENT

19 lt. (5 gallons) FLEXIBLE BACK-PACK WATER EXTINGUISHER

Flame retardant M2.
Very efficient and easy to use.
Excellent to control, mop up and extinguish forest fires.
Easy to store and transport.



TRANSPORT HANDLE

PADDED
SHOULDER
STRAPS

HIGH QUALITY
TAP & FILTER

FLEXIBLE
WATER TANK
WITH FLAME
RETARDANT
TREATMENT
TYPE M2

WAIST BELT

QUICK CONNECT SYSTEM.
PLUG AND UNPLUG IS ONE MOVEMENT

NOZZLE PUMP.
JET-FOG

THERMO-WELDED FLEXIBLE WATER TANK, MADE WITH PVC-COATED. POLYESTER FABRIC WITH A FLAME RETARDANT PROTECTIVE TREATMENT. WEIGHT OF 620 G/M2. LACQUERED ON BOTH SIDES. IDEAL WHERE A FIREPROOF FABRIC IS NEEDED.

FOREST NOZZLES & EQUIPMENT

GENFO® BACK PACK

PORTABLE EXTINGUISHING EQUIPMENT FOR FOREST FIRES TANK



EXTINGUISHERS

FLEXIBLE 18 L FIRE-FIGHTING BACKPACK

Thermally welded flexible tank manufactured in canvas reinforced with synthetic fabric.
Easy to use and highly effective.
Ideal for mop-up, control and extinguishing tasks for forest fires.
Very easy to transport and store.

Technical description of the GENFO-BAG fire-fighting backpack:

DEPOSIT

Construction: Thermally welded canvas reinforced with synthetic fabric with double reinforced base and internal water bay separations.
Capacity: 18 l.
Dimensions: 490 x 650 mm
Filling mouth: Ø100, with watertight cap
Transport: Central handle and back straps.

NOZZLE

Operation: Retractable double run nozzle and double effect nozzle, jet – fog
Reach: Jet: > 8 m. Fog: > 3 m
Throw volume: 120 cm³/cycle.

ACCESORIES

- 1- Foam expander. (Coefficient of expansion 1:8)
- 2- Velcro support for nozzle expander.
- 3- Waist belt with 8 doses of synthetic foam inductor.
- 4- Storage/transport bag in nylon fabric.

1/2



3



4



GENFO BACK-PACK® 18 lt. (4 gallons) FLEXIBLE BACK-PACK WATER EXTINGUISHER.

Thermo-welded flexible water tank, made with canvas reinforced with synthetic yarns.
Very efficient and easy to use.
Excellent to control, mop up and extinguish forest fires.
Easy to store and transport.

TANK

Construction: Thermowelded canvas, reinforced with synthetic yarns, with reinforced double bottom and inner breakwater divisions.

Capacity: 18 lt. - 4 gallons.

Dimensions: 490 x 650 mm.

Inlet diameter: 100 mm. with water tight cap.

Transport: Central hand strap and shoulder straps.

Weight: 2 kg.

NOZZLE

Nozzle-pump action: Two stroke piston pump nozzle with screen on suction inlet and adjustable nozzle: jet-fog.

Reach: Straight stream: > 8m - **Fog:** > 3m

Flow: 120cc/stroke.

ACCESSORIES

1.- Foam Tube. (Expansion ratio 1:8)

2.- Polyamide sack for storage and transport

